

## ANALYZED BY:

Anresco Laboratories  
1375 Van Dyke Avenue,  
San Francisco, CA 94124  
C8-0000052-LIC

## CUSTOMER:

High Rise Beverage Company, LLC  
636 Long Point Road  
Mount Pleasant, SC 29464



## SAMPLE INFORMATION

**Sample No.:** 1336837  
**Product Name:** High Rise D9 - Pineapple - end  
**Matrix:** Edible (Beverage)  
**Lot #:** HR089

**Date Collected:** 09/03/2025  
**Date Received:** 09/04/2025  
**Date Reported:** 09/17/2025

## TEST SUMMARY

**Cannabinoid Profile:** ✔ Pass  
**Pesticide Residue Screen:** ✔ Pass  
**Heavy Metal Screen:** ✔ Pass  
**Mycotoxin Screen:** ✔ Pass

**Microbiological Screen:** ✔ Pass  
**Residual Solvent Screen:** ✔ Pass  
**Foreign Material:** ✔ Pass

## Cannabinoid Profile ✔ Pass

09/08/2025

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.0008 mg/g  
**Limit of Quantitation** 0.0025 mg/g

| Cannabinoid                   | mg/g     | %       | mg/ml  | mg/serving | mg/package | Labeled mg/serving | % Difference | Status |
|-------------------------------|----------|---------|--------|------------|------------|--------------------|--------------|--------|
| Δ8-THC                        | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| Δ9-THC                        | 0.0132   | 0.00132 | 0.0133 | 4.71       | 4.71       | 5                  | 5.85         | Pass   |
| Δ9-THCA                       | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| THCV                          | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| THCVA                         | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBD                           | 0.0277   | 0.00277 | 0.0278 | 9.88       | 9.88       | 10                 | 1.21         | -      |
| CBDA                          | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBC                           | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBCA                          | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBDV                          | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBG                           | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBGA                          | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| CBN                           | ND       | ND      | ND     | ND         | ND         | -                  | -            | -      |
| Total THC                     | 0.0132   | 0.00132 | 0.0133 | 4.71       | 4.71       | -                  | -            | -      |
| Total CBD                     | 0.0277   | 0.00277 | 0.0278 | 9.88       | 9.88       | -                  | -            | -      |
| Total Cannabinoids            | 0.0409   | 0.00409 | 0.0411 | 14.59      | 14.59      | -                  | -            | -      |
| Sum of Cannabinoids           | 0.0409   | 0.00409 | 0.0411 | 14.59      | 14.59      | -                  | -            | -      |
| <b>Serving Weight (g)</b>     | 356.6330 |         |        |            |            |                    |              |        |
| <b>Package Weight (g)</b>     | 356.633  |         |        |            |            |                    |              |        |
| <b>g/ml Conversion Factor</b> | 1.0046   |         |        |            |            |                    |              |        |

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)  
Total CBD = CBD + (0.877 \* CBDA)  
Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

## Microbiological Screen ✔ Pass

09/16/2025

| Analyte                   | Findings | Units | Method                   | Limit | Status |
|---------------------------|----------|-------|--------------------------|-------|--------|
| Salmonella                | ND       | /1g   | AOAC 2016.01             | ND    | Pass   |
| STEC                      | ND       | /1g   | Neogen MDS STEC          | ND    | Pass   |
| Aspergillus               | ND       | /1g   | GENE- UP ASPERGILLUS PRO | ND    | Pass   |
| Listeria Species          | ND       | /1g   | AOAC 2016.07             | ND    | Pass   |
| Total Aerobic Plate Count | <1       | cfu/g | FDA BAM                  | 100   | Pass   |
| Total Coliforms           | <1       | cfu/g | FDA BAM - ECC Agar       | 100   | Pass   |
| E. Coli                   | ND       | /1g   | FDA BAM Modified         | 1     | Pass   |
| Total Enterobacteriaceae  | <1       | cfu/g | AOAC 2003.01             | ND    | Pass   |
| Staphylococcus aureus     | <1       | cfu/g | AOAC 2003.07             | ND    | Pass   |
| Total Yeast and Mold      | <1       | cfu/g | FDA BAM                  | 1,000 | Pass   |

## Pesticide Residue Screen

09/17/2025

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte               | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-----------------------|----------------|-----------------|--------------|--------|
| Abamectin             | 0.015/0.05     | ND              | 0.05         | Pass   |
| Acephate              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Acequinocyl           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Acetamiprid           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Aldicarb              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Allethrin             | 0.015/0.05     | ND              | 0.05         | Pass   |
| Ancymidol             | 0.02/0.06      | ND              | 0.06         | Pass   |
| Anthraquinone         | 0.05/0.15      | ND              | 0.25         | Pass   |
| Atrazine              | 0.007/0.02     | ND              | 0.02         | Pass   |
| Azadirachtin          | 0.100/0.30     | ND              | 0.3          | Pass   |
| Azoxystrobin          | 0.003/0.01     | ND              | 0.01         | Pass   |
| Benzovindiflupyr      | 0.003/0.01     | ND              | 0.01         | Pass   |
| Bifenazate            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Bifenthrin            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Boscalid              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Buprofezin            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Captan                | 0.250/0.7      | ND              | 0.7          | Pass   |
| Carbaryl              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Carbofuran            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Chlorantraniliprole   | 0.003/0.01     | ND              | 0.01         | Pass   |
| Chlordane             | 0.020/0.06     | ND              | 0.06         | Pass   |
| Chlorfenapyr          | 0.015/0.05     | ND              | 0.05         | Pass   |
| Chlormequat Chloride  | 0.03/0.10      | ND              | 0.1          | Pass   |
| Chlorpyrifos          | 0.003/0.01     | ND              | 0.01         | Pass   |
| Clothianidin          | 0.003/0.01     | ND              | 0.01         | Pass   |
| Clofentezine          | 0.003/0.01     | ND              | 0.01         | Pass   |
| Coumaphos             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Cyantraniliprole      | 0.003/0.01     | ND              | 0.01         | Pass   |
| Cyfluthrin            | 0.015/0.05     | ND              | 0.05         | Pass   |
| Cyhalothrin (Lambda)  | 0.030/0.10     | ND              | 0.1          | Pass   |
| Cypermethrin          | 0.015/0.05     | ND              | 0.05         | Pass   |
| Cyprodinil            | 0.03/0.10      | ND              | 0.1          | Pass   |
| Daminozide            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Deltamethrin I/II     | 0.015/0.05     | ND              | 0.05         | Pass   |
| DDVP (Dichlorvos)     | 0.003/0.01     | ND              | 0.01         | Pass   |
| Diazinon              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Dimethoate            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Dimethomorph          | 0.003/0.01     | ND              | 0.01         | Pass   |
| Dinotefuran           | 0.007/0.02     | ND              | 0.02         | Pass   |
| Diuron                | 0.007/0.02     | ND              | 0.02         | Pass   |
| Dodemorph             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Endosulfan I (alpha)  | 0.015/0.05     | ND              | 0.05         | Pass   |
| Endosulfan II (beta)  | 0.015/0.05     | ND              | 0.05         | Pass   |
| Endosulfan Sulfate    | 0.015/0.05     | ND              | 0.05         | Pass   |
| Ethoprop(hos)         | 0.003/0.01     | ND              | 0.01         | Pass   |
| Etofenprox            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Etoxazole             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Etridiazole           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenhexamid            | 0.007/0.02     | ND              | 0.02         | Pass   |
| Fenoxycarb            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenpyroximate         | 0.007/0.02     | ND              | 0.02         | Pass   |
| Fensulfothion         | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenthion              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fenvalerate I/II      | 0.015/0.05     | ND              | 0.05         | Pass   |
| Fipronil              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Flonicamid            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fludioxonil           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Fluopyram             | 0.003/0.01     | ND              | 0.01         | Pass   |
| Flurprimidol          | 0.03/0.10      | ND              | 0.1          | Pass   |
| Hexythiazox           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Imazalil              | 0.003/0.01     | ND              | 0.01         | Pass   |
| Imidacloprid          | 0.003/0.01     | ND              | 0.01         | Pass   |
| Indole-3-butyric Acid | 0.08/0.25      | ND              | 0.25         | Pass   |
| Iprodione             | 0.015/0.05     | ND              | 0.05         | Pass   |
| Kinoprene             | 0.015/0.05     | ND              | 0.05         | Pass   |

| Analyte                          | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|----------------------------------|----------------|-----------------|--------------|--------|
| Kresoxim Methyl                  | 0.003/0.01     | ND              | 0.01         | Pass   |
| Malathion                        | 0.003/0.01     | ND              | 0.01         | Pass   |
| Metalaxyl                        | 0.003/0.01     | ND              | 0.01         | Pass   |
| Methiocarb                       | 0.003/0.01     | ND              | 0.01         | Pass   |
| Methomyl                         | 0.003/0.01     | ND              | 0.01         | Pass   |
| Methoprene                       | 0.100/0.30     | ND              | 0.3          | Pass   |
| Methyl parathion                 | 0.003/0.01     | ND              | 0.01         | Pass   |
| Mevinphos                        | 0.007/0.02     | ND              | 0.02         | Pass   |
| MGK 264                          | 0.015/0.05     | ND              | 0.05         | Pass   |
| Myclobutanil                     | 0.003/0.01     | ND              | 0.01         | Pass   |
| Naled                            | 0.003/0.01     | ND              | 0.01         | Pass   |
| Novaluron                        | 0.007/0.02     | ND              | 0.02         | Pass   |
| Oxamyl                           | 0.003/0.01     | ND              | 0.01         | Pass   |
| Paclobutrazol                    | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pendimethalin                    | 0.030/0.10     | ND              | 0.1          | Pass   |
| Pentachloronitrobenzene          | 0.003/0.01     | ND              | 0.01         | Pass   |
| Permethrins                      | 0.015/0.05     | ND              | 0.05         | Pass   |
| Phenothrin                       | 0.030/0.10     | ND              | 0.1          | Pass   |
| Phosmet                          | 0.003/0.01     | ND              | 0.01         | Pass   |
| Piperonyl Butoxide               | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pirimicarb                       | 0.003/0.01     | ND              | 0.01         | Pass   |
| Prallethrin                      | 0.015/0.05     | ND              | 0.05         | Pass   |
| Propiconazole                    | 0.003/0.01     | ND              | 0.01         | Pass   |
| Propoxur                         | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pyraclostrobin                   | 0.003/0.010    | ND              | 0.01         | Pass   |
| Pyrethrins                       | 0.015/0.05     | ND              | 0.05         | Pass   |
| Pyridaben                        | 0.003/0.01     | ND              | 0.01         | Pass   |
| Pyriproxyfen                     | 0.003/0.01     | ND              | 0.01         | Pass   |
| Resmethrin                       | 0.007/0.02     | ND              | 0.02         | Pass   |
| Spinetoram                       | 0.003/0.01     | ND              | 0.01         | Pass   |
| Spinosad                         | 0.003/0.01     | ND              | 0.01         | Pass   |
| Spirodiclofen                    | 0.050/0.15     | ND              | 0.15         | Pass   |
| Spiromesifen                     | 0.003/0.01     | ND              | 0.01         | Pass   |
| Spirotetramat                    | 0.003/0.01     | ND              | 0.01         | Pass   |
| Spiroxamine                      | 0.003/0.01     | ND              | 0.01         | Pass   |
| Tebuconazole                     | 0.003/0.01     | ND              | 0.01         | Pass   |
| Tebufoenozide                    | 0.003/0.01     | ND              | 0.01         | Pass   |
| Teflubenzuron                    | 0.007/0.02     | ND              | 0.02         | Pass   |
| Tetrachlorvinphos                | 0.003/0.01     | ND              | 0.01         | Pass   |
| Tetramethrin                     | 0.015/0.05     | ND              | 0.05         | Pass   |
| Thiabendazole                    | 0.007/0.02     | ND              | 0.02         | Pass   |
| Thiacloprid                      | 0.003/0.01     | ND              | 0.01         | Pass   |
| Thiamethoxam                     | 0.003/0.01     | ND              | 0.01         | Pass   |
| Thiophanate Methyl               | 0.007/0.02     | ND              | 0.02         | Pass   |
| Trifloxystrobin                  | 0.003/0.01     | ND              | 0.01         | Pass   |
| 2-Phenylphenol                   | 0.08/0.25      | ND              | 0.25         | Pass   |
| 3,4-Dichloroaniline              | 0.08/0.25      | ND              | 0.25         | Pass   |
| Acetochlor                       | 0.05/0.15      | ND              | 0.5          | Pass   |
| Alachlor                         | 0.05/0.15      | ND              | 0.25         | Pass   |
| Ametryn                          | 0.03/0.10      | ND              | 0.5          | Pass   |
| Aminocarb                        | 0.03/0.10      | ND              | 0.25         | Pass   |
| Biphenyl                         | 0.08/0.25      | ND              | 0.25         | Pass   |
| Carbendazim                      | 0.03/0.10      | ND              | 0.5          | Pass   |
| Cycloate                         | 0.08/0.25      | ND              | 0.5          | Pass   |
| Cyromazine                       | 0.03/0.10      | ND              | 0.5          | Pass   |
| DCPA Dacthal, Chlorthal-dimethyl | 0.03/0.10      | ND              | 0.5          | Pass   |
| Diclobutrazol                    | 0.02/0.06      | ND              | 0.5          | Pass   |
| Diflubenzuron                    | 0.08/0.25      | ND              | 0.5          | Pass   |
| Diphenylamine                    | 0.08/0.25      | ND              | 0.5          | Pass   |
| Ethirimol                        | 0.02/0.06      | ND              | 0.5          | Pass   |
| Flutriafol                       | 0.05/0.15      | ND              | 0.5          | Pass   |
| Formetanate HCl                  | 0.03/0.10      | ND              | 0.1          | Pass   |
| Hexaconazole                     | 0.05/0.15      | ND              | 0.5          | Pass   |
| Hydramethylnon                   | 0.05/0.15      | ND              | 0.5          | Pass   |
| Indoxacarb                       | 0.05/0.15      | ND              | 0.5          | Pass   |
| Mandipropamid                    | 0.03/0.10      | ND              | 0.5          | Pass   |
| Metaflumizone                    | 0.08/0.25      | ND              | 0.5          | Pass   |
| Methoxyfenozide                  | 0.02/0.06      | ND              | 0.5          | Pass   |
| Metolachlor                      | 0.05/0.15      | ND              | 0.25         | Pass   |
| Nuarimol                         | 0.05/0.15      | ND              | 0.5          | Pass   |

| Analyte            | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|--------------------|----------------|-----------------|--------------|--------|
| o,p'-DDD           | 0.03/0.10      | ND              | 0.1          | Pass   |
| o,p'-DDE           | 0.03/0.10      | ND              | 0.1          | Pass   |
| o,p'-DDT           | 0.03/0.10      | ND              | 0.1          | Pass   |
| p,p'-DDD           | 0.03/0.10      | ND              | 0.1          | Pass   |
| p,p'-DDE           | 0.03/0.10      | ND              | 0.1          | Pass   |
| p,p'-DDT           | 0.03/0.10      | ND              | 0.1          | Pass   |
| Pentachloroanisole | 0.10/0.30      | ND              | 0.5          | Pass   |
| Prometryne         | 0.02/0.06      | ND              | 0.5          | Pass   |
| Propamocarb        | 0.08/0.25      | ND              | 0.5          | Pass   |
| Propargite         | 0.08/0.25      | ND              | 0.5          | Pass   |
| Propyzamide        | 0.05/0.15      | ND              | 0.5          | Pass   |
| Pymetrozine        | 0.03/0.10      | ND              | 0.5          | Pass   |
| Pyrimethanil       | 0.03/0.10      | ND              | 0.5          | Pass   |
| Quinoxifen         | 0.03/0.10      | ND              | 0.5          | Pass   |
| Sulfoxaflor        | 0.03/0.10      | ND              | 0.25         | Pass   |
| Tau-Fluvalinate    | 0.08/0.25      | ND              | 0.5          | Pass   |
| Terbutryn          | 0.02/0.06      | ND              | 0.25         | Pass   |
| Thiobencarb        | 0.03/0.10      | ND              | 0.5          | Pass   |
| Tricyclazole       | 0.02/0.06      | ND              | 0.5          | Pass   |
| Triflumizole       | 0.05/0.15      | ND              | 0.5          | Pass   |

## Residual Solvent Screen ✓ Pass

09/16/2025

| Analyte                              | LOD/LOQ (ppm) | Findings (ppm) | Limit (ppm) | Status |
|--------------------------------------|---------------|----------------|-------------|--------|
| 1,1-Dichloroethene                   | 2/4           | ND             | 8           | Pass   |
| 1,2-Dichloroethane                   | 0.2/0.5       | ND             | 1           | Pass   |
| Acetone                              | 14/40         | 45.00          | 5000        | Pass   |
| Acetonitrile                         | 14/40         | ND             | 410         | Pass   |
| Benzene                              | 0.2/0.5       | ND             | 1           | Pass   |
| n-Butane                             | 14/40         | ND             | 800         | Pass   |
| Chloroform                           | 0.2/0.5       | ND             | 1           | Pass   |
| Ethanol                              | 14/40         | ND             | 5000        | Pass   |
| Ethyl acetate                        | 14/40         | ND             | 5000        | Pass   |
| Ethyl ether                          | 14/40         | ND             | 5000        | Pass   |
| Ethylene oxide                       | 0.2/0.5       | ND             | 1           | Pass   |
| n-Heptane                            | 14/40         | ND             | 500         | Pass   |
| n-Hexane                             | 14/40         | ND             | 100         | Pass   |
| Isopropyl alcohol                    | 14/40         | ND             | 500         | Pass   |
| Methanol                             | 14/40         | ND             | 3000        | Pass   |
| Methylene chloride                   | 0.2/0.5       | ND             | 1           | Pass   |
| n-Pentane                            | 14/40         | ND             | 5000        | Pass   |
| Propane                              | 14/40         | ND             | 210         | Pass   |
| Toluene                              | 14/40         | ND             | 890         | Pass   |
| Total xylenes (ortho-, meta-, para-) | 14/40         | ND             | 2170        | Pass   |
| Trichloroethylene                    | 0.2/0.5       | ND             | 1           | Pass   |

## Heavy Metal Screen ✓ Pass

09/16/2025

Method: MF 24E020

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD / LOQ (µg/g) | Findings (µg/g) | Limit | Status |
|---------|------------------|-----------------|-------|--------|
| Arsenic | 0.02/0.05        | ND              | 0.2   | Pass   |
| Cadmium | 0.02/0.05        | ND              | 0.2   | Pass   |
| Mercury | 0.02/0.05        | ND              | 0.1   | Pass   |
| Lead    | 0.02/0.05        | ND              | 0.5   | Pass   |

## Foreign Material ✓ Pass

09/16/2025

Method: MF-CHEM-7

| Analyte                        | Findings | Limit    | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen ✔ Pass

09/17/2025

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte          | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1     | 2/5             | ND               | 5             | -      |
| Aflatoxin B2     | 2/5             | ND               | 20            | -      |
| Aflatoxin G1     | 2/5             | ND               | 20            | -      |
| Aflatoxin G2     | 2/5             | ND               | 20            | -      |
| Total Aflatoxins | 8/20            | ND               | 20            | Pass   |
| Ochratoxin A     | 2/5             | ND               | 5             | Pass   |

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

Reported by




Eric Tam  
Senior Chemist



Scan to verify